

Access Control (472) Requirements

(Replaces Use Exclusion)

Environmental Quality Incentives Program (EQIP) 2009

Eligible lands: Sensitive areas (i.e. water bodies, water conveyances, sinkholes, forests) and Waste Storage Facilities needing access control to maintain or improve natural resources.

Access Control required to be installed to Fence (382) Standard.

Maximum payment alternative for each scenario:

1. Sensitive Areas - Large Animal

- No more than 4 wire high tensile electric fence
- No more than 4 strand barbed wire fence
- All other types of fence (i.e. woven) will be paid at the 4 strand rate

2. Sensitive Areas - Small Ruminant

- 5 strands of high tensile electric fence
- All other types of fence will be paid at the 5 strand rate

3. Waste Storage Facility (earthen)

- Minimum 42" woven wire with 2 strand of barbed wire on top

4. Fabricated Animal Manure Storage Structure (concrete)

- Chainlink fence

5. Sinkhole Protection

- No more than 5 strand barbed wire fence
- Minimum 42" woven wire with 1 strand of barbed wire on top

Producer requirements for payment:

Install fence according to Fence (382) standard drawings and construction specifications and obtain certification of installation by NRCS local office. Record the following information during construction:

- Type of post (i.e. Creosote, Pressure treated)
- Type of brace assembly (diameter post and diameter brace)
- Typical line post spacing, type of post, and diameter of post